

THE FASTEST, MOST SECURE WAY TO DEPOSIT CASH



There is now a better way to deposit and secure cash in your electronic smart safe. The MEI BNF (bunch note feeder) improves efficiencies by reducing the amount of time required to process cash—and doing so in a way that improves both security and customer service.

Friction-based technology is used to reliably feed a bundle of up to 30 notes into the SC Advance. Notes placed on the BNF note tray are validated, denominated and stacked in less than 1.5 seconds. Implementing the BNF results in a 35% processing speed improvement (from 2.3 seconds to previously stated 1.5) from the SC Advance with single note feed.

The BNF provides a means to quickly move cash out of associates' hands. Stacks of notes are efficiently placed in the BNF tray to minimize queue times and cash exposure while reducing the cash maintained in tills. The automated transition of notes from the BNF to the SC Advance allows associates to spend more time with customers on the retail floor, which improves service and, ultimately, customer loyalty.

MEI knows note acceptors. Today, MEI payment systems are relied upon for more than two billion transactions a week in more than 100 countries. This knowledge has been applied to providing operators enhanced cash management options.



www.meigroup.com

Proven performance. Increased profits.

ELECTRONIC SMART SAFES

Adding a MEI BNF to an electronic smart safe creates a total cash management system. Cash, and information, flows efficiently and securely from the register to the back room...and eventually to the bank.


Cash handling by associates is minimized along the way. Reduced cash exposure not only minimizes associate theft (by limiting opportunity and temptation), but also improves customer service, eliminates unnecessary labor costs and could ultimately lower CIT costs.

Retailers also receive a comprehensive audit trail. Information captured daily within SC Advance can provide accurate performance data that, with the right infrastructure, could create value through a provisional credit arrangement with the bank.

With an upgrade from CASHFLOW SC to SC Advance, operators also have a unique opportunity to further improve the customer experience. All changes are centralized on the acceptor head, so the product is backwards compatible with CASHFLOW SC. The next generation (SC Advance) and legacy product (CASHFLOW SC) can work in tandem to allow users to maximize their investment in MEI—and upgrade on their own schedule with minimal impact to operations.



SC Advance Speed Comparison



BNF QUICK REFERENCE MAGNET

MEI is committed to providing its customers with the highest acceptance rate, unrivaled security, best jam performance and lowest cost of ownership for its diverse product range. The BNF Quick Reference Magnet supports that commitment by helping to reduce the overall cost of ownership and, as a result, increase profitability. Providing easy-to-access instructions to clear jams without making a service call increases machine uptime and reduces costs.

MEI has found a significant reduction of service calls when cashiers are properly trained to feed notes in the BNF tray and remove jams that are accessible without opening the safe door.

The BNF Quick Reference Magnet is designed to be placed on the safe door so cashiers can conveniently access step-by-step instructions when needed. It is available in English, Spanish and Portuguese and provided to customers free of charge.

Magnet Part Numbers

English: 252052174P


Spanish: 252050175P

Portuguese: 252050176P

Contact tech support at 1-800-345-8172 to order yours today. Please visit our website for international tech support numbers.

BUNCH NOTE FEEDER (BNF) QUICK REFERENCE

FEEDING BILLS




- Check bills for folds, staples, paper clips, or excessive tape.
- Do not load more than 30 bills at a time.
- Lay bills flat and straight on the tray.

CLEARING JAMS

A green light blinks twice to indicate a jam.


Bill Tray Removal



Do NOT Power Down Safe or Kiosk.

- Place thumb in center of black tray and forefingers below the yellow plastic tray housing.
- Squeeze black tray and yellow housing together.
- Pull tray and housing out of unit.
- To re-insert, squeeze tray and housing together and push into place.

Cartridge Removal



Do NOT Power Down Safe or Kiosk.

- Remove tray (follow steps 1 - 3 on left).
- While pressing in the yellow button on left side of unit, pull out cartridge by using black center tab.
- Remove jammed bills.
- Firmly re-insert cartridge (make sure it snaps back in and yellow button returns to its original position).
- Put tray back into the unit (step 4 on left).

mei
www.meigroup.com

Proven performance. Increased profits.

©2010 MEI. All rights reserved. MEI is ISO 9001:2000 certified. part # 252052174 G1

FEATURES ADVANTAGES BENEFITS

Features	Advantages	Benefits
Available in fixed-width and multi-width	Accepts all known note widths	Product can be used globally with no restrictions in entering certain markets
Accepts up to 30 notes at one time	Less time spent feeding notes	Increased productivity and ROI
Visual and audio status indicators	Easy-to-understand product performance	Resulting in smoother operation of unit
Integrated note reject path divider	Rejected note is returned in separate location within the note tray	Uninterrupted cash handling process
Easily retrofittable to existing SCL/SCXL product line	Eliminates extensive redesign or re-installation of existing base	Use with existing MEI SC product line units

MECHANICAL INTEGRATION:

- BNF Module adds less than 2 inches/5 cms of depth to the MEI SCL Advance acceptor (without universal note tray)
- Universal note tray can be mounted on the door or on the BNF

SOFTWARE INTEGRATION:

- Operates transparently with existing host software


POWER SOURCE AND CONSUMPTION:

- 15-28 VDC
- Does not exceed the existing 70-watt maximum power consumption rating for the SCL Series

ENVIRONMENT:

- Operating Temperature: 10°C to 40°C

DOOR-INSTALLED BNF DIMENSIONS:



MEI LOCATIONS:

UNITED STATES

Corporate Headquarters

3222 Phoenixville Pike
Suite 200
Malvern, PA 19355
Telephone: 1 610 430 2700
Facsimile: 1 610 918 8898
Customer Service: 1 800 345 8215
Technical Support: 1 800 345 8172

Las Vegas, NV

Telephone: 1 702 873 4866
Facsimile: 1 702 873 6401

UNITED KINGDOM

Telephone: +44 (0) 118 938 1100
Facsimile: +44 (0) 118 938 1120

SWITZERLAND

Telephone: +41 (0) 22 884 0505
Facsimile: +41 (0) 22 884 0504

AUSTRALIA

Telephone: +61 2 8069 8999
Facsimile: +61 2 8069 8990

CANADA

Telephone: +1 905 492 0851
Facsimile: +1 905 492 0853

JAPAN

Telephone: +81 3 3221 8466
Facsimile: +81 3 3221 8465

SPAIN

Telephone: +34 91 749 7516
Facsimile: +34 91 749 9356

FRANCE

Telephone: +33 (0) 1 57 32 30 23
Facsimile: +33 (0) 1 55 69 56 10

GERMANY

Telephone: +49 695 007 0420
Facsimile: +49 695 007 0421

ITALY

Telephone: +39 02 69633722
Facsimile: +39 02 69633723

mei

www.meigroup.com

Proven performance. Increased profits.

